MSW and Biosolids Processing to Carbon Free Products



Yaniv Scherson, Ph.D., P.E. Chief Operating Officer, Anaergia yaniv.scherson@anaergia.com



Enabling a Zero Waste Future



Wastewater Biosolids



Source Separated Organics



Municipal Solid Waste



Food Processing Waste



Agricultural Waste







Integrated Solutions



Renewable Power



Renewable Gas



Recyclables



Fertilizer




Clean Water

Our mission is to convert waste into useful resources, protect the environment, and sustain life for generations to come.

Anaergia's Global Footprint






1,700+ Projects, 10 Offices, 3 Factories, 4 Continents



Anaergia's Capability Across Solid Waste and Wastewater







Select North American Facilities Flexible delivery combinations of Design Build Own Operate Finance (DBOOF)



Solid Waste



CLIENT: SOUTH BAYSIDE WASTE
MANAGEMENT AUTHORITY (SBWMA)
LOCATION: SAN CARLOS, CALIFORNIA
DELIVERY: DB + SERVICE



CLIENT: WASTE MANAGEMENT
LOCATION: SUN VALLEY, CALIFORNIA
DELIVERY: DB + SERVICE



CLIENT: CITY OF TORONTO
LOCATION: TORONTO, CANADA
DELIVERY: PROCESS + SUPPLY + O&M



CLIENT: UNIVERSAL WASTE SYSTEMS
LOCATION: LOS ANGELES, CALIFORNIA
DELIVERY: DB + SERVICE

Wastewater



CLIENT: ANAERGIA
LOCATION: RIALTO, CALIFORNIA
DELIVERY: DBOOF



CLIENT: EAST VALLEY WATER DISTRICT LOCATION: HIGHLAND, CALIFORNIA DELIVERY: SUPPLY



CLIENT: VICTOR VALLEY WATER
RECLAMATION AUTHORITY (VVWRA)
LOCATION: VICTORVILLE, CA
DELIVERY: DBOOF



CLIENT: CAMDEN COUNTY

MUNICIPAL UTILITIES AUTHORITY

(CCMUA)

LOCATION: CAMDEN, NJ
DELIVERY: SUPPLY + O&M




CLIENT: HALE AVENUE
RESOURCE RECOVERY FACILITY
(HARRF)

LOCATION: ESCONDIDO, CA
DELIVERY: DBOOF



Anaergia provides cost effective outlet for organics to local AD infrastructure







SB1383 allows for 3-cart, 2-cart, or 1-cart collection






High Diversion Facility Provides Compliance Solution for **Any Collection Option**



Processing black bin trash through HDOPF using OREX offers 40% savings compared to 3-Bin collection








Organics Extrusion Press (OREX) Separates Organics from Municipal Solid Waste (MSW) to Produce Renewable Energy and Fertilizer with AD








OREX + Organics Polishing System (OPS) Generates Digestible Organic Slurry








Anaergia's Rialto Bioenergy Facility Converts Organic from MSW and Biosolids in Carbon Free Fuel and Fertilizer.









Sun Valley CA, Commercial SSO & MSW OREX Line







Sun Valley CA, Commercial SSO & MSW Processing Line








Rialto Bioenergy Facility: Largest Organic Waste to RNG Digester Facility in North America










RBF Converting Organics from MSW to RNG and Biosolids to Biochar Fertilizer








Pyrolysis Increases Biogas Production and Improves Biosolids Value: Less Residual Mass, Higher Value, More Biogas





Drying and Pyrolysis Processing Facility at Rialto Bioenergy Facility





Testing Shows Destruction of "Forever Chemicals"



Results shown are indicative of contaminant destruction through pyrolysis for the tested biosolids

Per- and polyfluoroalkyl substances (PFAS) in dried biosolids and pyrolysis bio

		Detection	Wastewater Treatment Plant	Pyrolysis
		Limit	Dried Biosolids	Biochar Product
Analyte	CAS	(ng/g)	(ng/g)	(ng/g)
PFBA	375-22-4	2.00	ND^1	ND
PFPeA	2706-90-3	2.00	ND	ND
PFBS	375-73-5	2.00	ND	ND
4:2 FTS	757124-72-4	2.00	ND	ND
PFHxA	307-24-4	2.00	5.53	ND
PFPeS	2706-91-4	2.00	ND	ND
PFHpA	375-85-9	2.00	ND	ND
PFHxS	355-46-4	2.00	ND	ND
6:2 FTS	27619-97-2	2.00	ND	ND
PFOA	335-67-1	2.00	2.92	ND
PFHpS	375-92-8	2.00	ND	ND
PFNA	375-95-1	2.00	ND	ND
PFOSA	754-91-6	2.00	ND	ND
PFOS	1763-23-1	2.00	3.47	ND
PFDA	335-76-2	2.00	ND	ND
8:2 FTS	39108-34-4	2.00	ND	ND
MeFOSAA	2355-31-9	2.00	3.14	ND
EtFOSAA	2991-50-6	2.00	ND	ND
PFUnA	2058-94-8	2.00	ND	ND
PFDS	335-77-3	2.00	ND	ND
PFDoA	307-55-1	2.00	ND	ND
PFTrDA	72629-94-8	2.00	ND	ND
PFTeDA	376-06-7	2.00	ND	ND






1. ND = not detected, below detection limit. All results on a dry weight basis.



Increasing Biogas Production from Pyrolysis




Condensable Oil from Pyrolysis fed to Test Digesters Demonstrate Increased Biogas Production








Typical WWTP Cogeneration Gas without Drying and Pyrolysis





Pyrolysis Added to a WWTP



PFAS Chemicals are also destroyed and not land applied

Thank you



Yaniv Scherson, Ph.D., P.E. Chief Operating Officer, Anaergia yaniv.scherson@anaergia.com

